ELSEVIER

Physica C 307 (1998) 335–338

PHYSICA C

Author Index to Volume 307

Abulafia, Y., see Radzyner, Y., **307** (1998) 165
Agarwal, S.K., see Tanaka, Y., **307** (1998) 327
Albino Aguiar, J., C.C. de Souza Silva, Y.P. Yadava, D.A. Landinez Tellez, J.M. Ferreira, J. Guzman and E. Chavira, Structure, microstructure, magnetic properties and chemical stability of $HoBa_2SbO_6$ with $YBa_2Cu_3O_{7-\delta}$ superconductor, **307** (1998) 189
Aligia, A.A., see Lema, F., **307** (1998) 307
Aloysius, R.P., see Sobha, A., **307** (1998) 277
Anan, Y., see Zhigadlo, N.D., **307** (1998) 177
Appley, T.P.B.B.M., see Zeng, R., **307** (1998) 229
Aytug, T., B.W. Kang, S.L. Yan, Y.Y. Xie and J.Z. Wu, Stability of Hg-based high-T_c superconducting thin films, **307** (1998) 117

Babcock, S.E., see Yang, C.-Y., **307** (1998) 87
Bando, H., see Tanaka, Y., **307** (1998) 327
Beales, T.P., see Zeng, R., **307** (1998) 29
Beňačka, Š., see Plesch, G., **307** (1998) 74
Bhalla, G.L., see Rekhi, S., **307** (1998) 51
Blank, D.H.A., see García López, J., **307** (1998) 298
Brandstätter, G., M.C. Frischherz, L. Kratzwald, H.W. Weber and A.E. Petrov, Thermal-neutron-induced Gd-point defects in $GdBa_2Cu_3O_{7-\delta}$ ceramics, **307** (1998) 197
Bučkuliaková, A., see Plesch, G., **307** (1998) 74
Burlachkov, L., see Schlesinger, Y., **307** (1998) 291

Cao, G., see Yu, Y., **307** (1998) 137
Chaud, X., see Pautrat, A., **307** (1998) 12
Chavira, E., see Albino Aguiar, J., **307** (1998) 189
Chen, S., see Yang, W.M., **307** (1998) 271
Christen, D.K., see Kunchur, M.N., **307** (1998) 241
Chromik, Š., see Plesch, G., **307** (1998) 74
Claus, H., see Zheng, H., **307** (1998) 284

De Luca, R., see Di Matteo, T., **307** (1998) 318
De Souza Silva, C.C., see Albino Aguiar, J., **307** (1998) 189
D'Haen, J., see Van Bael, M.K., **307** (1998) 209
Dhar, S.K., see Salunke, H.G., **307** (1998) 245
Di Matteo, T., A. Tuohimaa, J. Paasi and R. de Luca, Characteristic low-field magnetic response of granular superconductors, **307** (1998) 318
D'Olieslaeger, M., see Van Bael, M.K., **307** (1998) 209
Dou, S.X., see Zeng, R., **307** (1998) 229
Dou, S.X., see Zeng, R., **307** (1998) 29
Du, J., see Wan, X., **307** (1998) 46
Du, Z.H., see Yang, W.M., **307** (1998) 271
Dutoit, B., see Stavrev, S., **307** (1998) 105

Els, G., P. Lemmens, P.H.M. van Loosdrecht, G. Güntherodt, H.P. Lang, V. Thommen-Geiser and H.-J. Güntherodt, Determination of the superconducting energy gap of Rb_3C_{60} by electronic Raman scattering, **307** (1998) 79

Fan, X., see Sun, X., **307** (1998) 67
Fan, X., see Zhao, X., **307** (1998) 265
Feng, Y., see Yang, W.M., **307** (1998) 271
Ferreira, J.M., see Albino Aguiar, J., **307** (1998) 189
Franco, D., see Van Bael, M.K., **307** (1998) 209
Frischherz, M.C., see Brandstätter, G., **307** (1998) 197
Fuchs, G., see Radzyner, Y., **307** (1998) 165
Fujimaki, A., see Inoue, M., **307** (1998) 221
Fujinami, K., H. Suematsu, M. Karppinen and H. Yamauchi, Effect of overdoping on the irreversibility field and critical current density of the $HgBa_2Ca_2Cu_3O_{8+\delta}$ superconductor, **307** (1998) 202

Gafurov, M.R., see Ivanshin, V.A., **307** (1998) 61
García López, J., D.H.A. Blank, H. Rogalla and J. Siejka, Role of the oxygen plasma during in situ growth of $YBa_2Cu_3O_{6+x}$ thin films by pulsed laser deposition, **307** (1998) 298
Gawalek, W., see Yang, W.M., **307** (1998) 271
Gornert, P., see Yang, W.M., **307** (1998) 271
Goyal, A., see Yang, C.-Y., **307** (1998) 87
Gritzner, G., see Kellner, K., **307** (1998) 99
Gritzner, G., see Plesch, G., **307** (1998) 74
Güntherodt, G., see Els, G., **307** (1998) 79
Güntherodt, H.-J., see Els, G., **307** (1998) 79
Guo, S., see Zhao, X., **307** (1998) 265
Guo, Y.C., see Zeng, R., **307** (1998) 229
Guo, Y.C., see Zeng, R., **307** (1998) 29
Guruswamy, P., see Sobha, A., **307** (1998) 277
Gutmann, M., see Ivanshin, V.A., **307** (1998) 61
Guzman, J., see Albino Aguiar, J., **307** (1998) 189

Harashima, E., see Tanaka, Y., **307** (1998) 327
Hasegawa, M., see Suzuki, T., **307** (1998) 1
Hayakawa, H., see Inoue, M., **307** (1998) 221
Horvat, J., see Zeng, R., **307** (1998) 229

Horvat, J., see Zeng, R., **307** (1998) 29
Huang, Y., see Zheng, H., **307** (1998) 284

Ichinose, A., see Yang, C.-Y., **307** (1998) 87
Ihara, H., see Kunugi, C., **307** (1998) 17
Ihara, H., see Tanaka, Y., **307** (1998) 327
Inoue, M., M. Yoshida, M. Tsuge, T. Senzaki, Y. Sugihara, J. Otsuka, K. Ohbayashi, A. Fujimaki and H. Hayakawa, A study on the control of the material properties of $Bi_2Sr_2CaCu_2O_x$ thin films for intrinsic Josephson junctions, **307** (1998) 221
Ionescu, M., see Zeng, R., **307** (1998) 229
Ishida, Y., see Zhigadlo, N.D., **307** (1998) 177
Itoh, T., see Tanaka, Y., **307** (1998) 327
Ivanshin, V.A., M.R. Gafurov, I.N. Kurkin, S.P. Kurzin, A. Shengelaya, H. Keller and M. Gutmann, Electron spin-lattice relaxation of Er^{3+}-ions in $Y_{0.99}Er_{0.01}Ba_2Cu_3O_x$, **307** (1998) 61
Ivlev, B.I., see Kunchur, M.N., **307** (1998) 241
Iyo, A., see Kunugi, C., **307** (1998) 17
Iyo, A., see Tanaka, Y., **307** (1998) 327

Jiang, L., see Wan, X., **307** (1998) 46
Jiang, M., see Zheng, H., **307** (1998) 284
Jiao, Z., see Yu, Y., **307** (1998) 137

Kang, B.W., see Aytug, T., **307** (1998) 117
Kareiva, A., see Van Bael, M.K., **307** (1998) 209
Karppinen, M., see Fujinami, K., **307** (1998) 202
Keller, H., see Ivanshin, V.A., **307** (1998) 61
Kellner, K., K. Przybylski and G. Gritzner, Microstructure and phase composition of Hg-1223 bulk phase superconductors, **307** (1998) 99
Klopov, M., see Kristoffel, N., **307** (1998) 261
Kratzwald, L., see Brandstätter, G., **307** (1998) 197
Kristoffel, N. and M. Klopov, Dynamical instability of the apex oxygen by the c-bonds compression in YBaCuO, **307** (1998) 261
Kroeger, D.M., see Yang, C.-Y., **307** (1998) 87
Ku, H.C., see Sun, X., **307** (1998) 67
Kunchur, M.N., D.K. Christen and B.I. Ivlev, Decomposition of the Hall angle in the mixed state of superconductors, **307** (1998) 241
Kunugi, C., S. Kuwata, K. Tokiwa, A. Iyo, T. Watanabe and H. Ihara, Pressure effect on T_c in $(B_{1-x}C_x)(Ba_{1-y}Sr_y)_2Ca_2Cu_3O_z$ ($x = 0.3$, $y = 0.25$; $x = 0.35$, $y = 0.3$) and $B_{0.8}C_{0.2}(Ba_{0.75}Sr_{0.25})_2Ca_3Cu_4O_z$, **307** (1998) 17
Kurkin, I.N., see Ivanshin, V.A., **307** (1998) 61
Kurzin, S.P., see Ivanshin, V.A., **307** (1998) 61
Kuwata, S., see Kunugi, C., **307** (1998) 17

Landinez Tellez, D.A., see Albino Aguiar, J., **307** (1998) 189
Lang, H.P., see Els, G., **307** (1998) 79
Le Lay, L., see Stavrev, S., **307** (1998) 105
Lema, F. and A.A. Aligia, Spectral function and quasiparticle weight in the generalized t–J model, **307** (1998) 307
Lemmens, P., see Els, G., **307** (1998) 79
Li, X.-G., see Sun, X., **307** (1998) 67
Li, X.-G., see Zhao, X., **307** (1998) 265
List, F.A., see Yang, C.-Y., **307** (1998) 87
Liu, H.K., see Zeng, R., **307** (1998) 229
Liu, H.K., see Zeng, R., **307** (1998) 29

Maignan, A., see Villard, G., **307** (1998) 128
Mair, M., see Plesch, G., **307** (1998) 74
Mamiya, M., see Suzuki, T., **307** (1998) 1
Matsui, Y., see Zhigadlo, N.D., **307** (1998) 177
Matveev, A.T., see Zhigadlo, N.D., **307** (1998) 177
Miyake, K., see Narikiyo, O., **307** (1998) 254
Mogilko, E., see Schlesinger, Y., **307** (1998) 291
Mullens, J., see Van Bael, M.K., **307** (1998) 209

Nakamae, S., see Tsabba, Y., **307** (1998) 237
Narikiyo, O. and K. Miyake, Itinerant-localized duality theory for pseudogaps of ARPES in the normal state of high-T_c cuprate superconductors, **307** (1998) 254
Nibbio, N., see Stavrev, S., **307** (1998) 105
Norton, D.P., see Yang, C.-Y., **307** (1998) 87

Ohbayashi, K., see Inoue, M., **307** (1998) 221
Otsuka, J., see Inoue, M., **307** (1998) 221

Paasi, J., see Di Matteo, T., **307** (1998) 318
Paranthaman, M., see Yang, C.-Y., **307** (1998) 87
Pautrat, A., F. Warmont, C. Simon, X. Chaud and S. Sanfilippo, Experimental evidence for a loss of correlation of vortex lines in YBCO: electric field direction in a geometry of tilted vortices, **307** (1998) 12
Pelloquin, D., see Villard, G., **307** (1998) 128
Petrov, A.E., see Brandstätter, G., **307** (1998) 197
Plesch, G., Š. Chromik, V. Štrbík, M. Mair, G. Gritzner, Š. Beňačka, I. Sargánková and A. Bučkuliaková, Thin $(Hg,Pb)Ba_2CaCu_2O_y$ films prepared from thermally evaporated precursors by post annealing in Hg-atmosphere, **307** (1998) 74
Przybylski, K., see Kellner, K., **307** (1998) 99

Quaeyhaegens, C., see Van Bael, M.K., **307** (1998) 209

Radzyner, Y., Y. Abulafia, Y. Yeshurun, T. Staiger and G. Fuchs, Local magnetization measurements on $Bi_2Sr_2Ca_2Cu_3O_{10}$ tapes, **307** (1998) 165
Raj, P., see Salunke, H.G., **307** (1998) 245
Ramakrishnan, S., see Salunke, H.G., **307** (1998) 245
Reich, S., see Tsabba, Y., **307** (1998) 237
Rekhi, S., G.L. Bhalla and G.C. Trigunayat, Recovery of superconductivity in the water degraded YBCO samples, **307** (1998) 51
Rogalla, H., see García López, J., **307** (1998) 298

Sahni, V.C., see Salunke, H.G., **307** (1998) 245
Salunke, H.G., V.C. Sahni, P. Raj, K. Shashikala, A. Sathyamoorthy, S. Ramakrishnan and S.K. Dhar, Superconducting state parameters of C-16 structured Zr_2Rh, **307** (1998) 245

Sanfilippo, S., see Pautrat, A., **307** (1998) 12
Sargánková, I., see Plesch, G., **307** (1998) 74
Sathyamoorthy, A., see Salunke, H.G., **307** (1998) 245
Savvides, N., see Yau, J.K.F., **307** (1998) 23
Schlesinger, Y., L. Burlachkov and E. Mogilko, Analysis of the excess resistivity induced by a low magnetic field in YBCO and BSCCO compounds, **307** (1998) 291
Schwartz, J., see Tsabba, Y., **307** (1998) 237
Senzaki, T., see Inoue, M., **307** (1998) 221
Shashikala, K., see Salunke, H.G., **307** (1998) 245
Shengelaya, A., see Ivanshin, V.A., **307** (1998) 61
Siejka, J., see García López, J., **307** (1998) 298
Simon, C., see Pautrat, A., **307** (1998) 12
Sobha, A., R.P. Aloysius, P. Guruswamy, K.G.K. Warrier and U. Syamaprasad, Phase evolution in Ag, Ag_2O and $AgNO_3$ added (Bi,Pb)-2223 superconductor, **307** (1998) 277
Song, W., see Wan, X., **307** (1998) 46
Sorrell, C.C., see Yau, J.K.F., **307** (1998) 23
Staiger, T., see Radzyner, Y., **307** (1998) 165
Stavrev, S., B. Dutoit, N. Nibbio and L. Le Lay, Eddy current self-field loss in Bi-2223 tapes with a.c. transport current, **307** (1998) 105
Štrbík, V., see Plesch, G., **307** (1998) 74
Suematsu, H., see Fujinami, K., **307** (1998) 202
Sugihara, Y., see Inoue, M., **307** (1998) 221
Sun, X., X. Zhao, W. Wu, X. Fan, X.-G. Li and H.C. Ku, Pr-doping effect on the structure and superconductivity of $Bi_2Sr_2Ca_{1-x}Pr_xCu_2O_y$ single crystals, **307** (1998) 67
Sun, X., see Zhao, X., **307** (1998) 265
Sun, Y., see Wan, X., **307** (1998) 46
Suzuki, T., K.-i. Yumoto, M. Mamiya, M. Hasegawa and H. Takei, Phase relation studies on the $(Bi_{0.8}Pb_{0.2})_2Sr_2CuO_6$–$CaCuO_2$ system between 850 and 1020°C, **307** (1998) 1
Syamaprasad, U., see Sobha, A., **307** (1998) 277

Tagirov, L.R., Proximity effect and superconducting transition temperature in superconductor/ferromagnet sandwiches, **307** (1998) 145
Takayama-Muromachi, E., see Zhigadlo, N.D., **307** (1998) 177
Takei, H., see Suzuki, T., **307** (1998) 1
Takimoto, T., see Tanaka, Y., **307** (1998) 327
Tanaka, K., see Tanaka, Y., **307** (1998) 327
Tanaka, Y., K. Tokiwa, T. Itoh, E. Harashima, K. Tanaka, A. Iyo, H. Ihara, N. Terada, T. Takimoto, K. Yamaji, H. Bando and S.K. Agarwal, A structure in a phonon spectral function induced by superconductivity, **307** (1998) 327
Tanaka, Y., see Zeng, R., **307** (1998) 229
Terada, N., see Tanaka, Y., **307** (1998) 327
Thommen-Geiser, V., see Els, G., **307** (1998) 79
Tokiwa, K., see Kunugi, C., **307** (1998) 17
Tokiwa, K., see Tanaka, Y., **307** (1998) 327
Trigunayat, G.C., see Rekhi, S., **307** (1998) 51
Tsabba, Y., S. Reich, S. Nakamae and J. Schwartz, Magnetoresistance in underdoped $HgBa_2Ca_2Cu_3O_8$ films in high magnetic fields, **307** (1998) 237
Tsuge, M., see Inoue, M., **307** (1998) 221
Tuohimaa, A., see Di Matteo, T., **307** (1998) 318

Van Bael, M.K., A. Kareiva, G. Vanhoyland, J. D'Haen, M. D'Olieslaeger, D. Franco, C. Quaeyhaegens, J. Yperman, J. Mullens and L.C. Van Poucke, Enhancement of T_c by substituting strontium for barium in the $YBa_2Cu_4O_8$ superconductor prepared by a sol–gel method, **307** (1998) 209
Vanhoyland, G., see Van Bael, M.K., **307** (1998) 209
Van Loosdrecht, P.H.M., see Els, G., **307** (1998) 79
Van Poucke, L.C., see Van Bael, M.K., **307** (1998) 209
Veal, B.W., see Zheng, H., **307** (1998) 284
Villard, G., D. Pelloquin and A. Maignan, Structure of new $Hg_{0.75}V_{0.25}Ba_2CuO_{4+\delta}$ superconducting single crystals. Effect of overdoping on the magnetization second peak, **307** (1998) 128

Wan, X., Y. Sun, W. Song, K. Wang, L. Jiang and J. Du, Enhanced flux pinning of Bi-2223/Ag tapes with nano-MgO particles addition, **307** (1998) 46
Wang, F.Y., see Yang, W.M., **307** (1998) 271
Wang, J.R., see Yang, W.M., **307** (1998) 271
Wang, K., see Wan, X., **307** (1998) 46
Warmont, F., see Pautrat, A., **307** (1998) 12
Warrier, K.G.K., see Sobha, A., **307** (1998) 277
Watanabe, T., see Kunugi, C., **307** (1998) 17
Weber, H.W., see Brandstätter, G., **307** (1998) 197
Wu, J.Z., see Aytug, T., **307** (1998) 117
Wu, M.Z., see Yang, W.M., **307** (1998) 271
Wu, W., see Sun, X., **307** (1998) 67
Wu, W., see Zhao, X., **307** (1998) 265
Wu, X.Z., see Yang, W.M., **307** (1998) 271

Xie, Y.Y., see Aytug, T., **307** (1998) 117

Yadava, Y.P., see Albino Aguiar, J., **307** (1998) 189
Yamaji, K., see Tanaka, Y., **307** (1998) 327
Yamauchi, H., see Fujinami, K., **307** (1998) 202
Yan, S.L., see Aytug, T., **307** (1998) 117
Yang, C.-Y., S.E. Babcock, A. Goyal, M. Paranthaman, F.A. List, D.P. Norton, D.M. Kroeger and A. Ichinose, Microstructure of electron-beam-evaporated epitaxial yttria-stabilized zirconia/CeO_2 bilayers on biaxially textured Ni tape, **307** (1998) 87
Yang, W.M., L. Zhou, Y. Feng, P.X. Zhang, S. Chen, M.Z. Wu, C.P. Zhang, J.R. Wang, Z.H. Du, F.Y. Wang, Z.M. Yu, X.Z. Wu, W. Gawalek and P. Gornert, The grain-alignment and its effect on the levitation force of melt processed YBCO single-domained bulk superconductors, **307** (1998) 271
Yang, X.F., see Zeng, R., **307** (1998) 29
Yau, J.K.F., N. Savvides and C.C. Sorrell, High-T_c superconducting current leads, **307** (1998) 23
Ye, B., see Zeng, R., **307** (1998) 29
Yeshurun, Y., see Radzyner, Y., **307** (1998) 165
Yoshida, M., see Inoue, M., **307** (1998) 221
Yperman, J., see Van Bael, M.K., **307** (1998) 209
Yu, Y., G. Cao and Z. Jiao, Superexchange in the cuprates: a mean-field study, **307** (1998) 137
Yu, Z.M., see Yang, W.M., **307** (1998) 271
Yumoto, K.-i., see Suzuki, T., **307** (1998) 1

Zeimetz, B., see Zeng, R., **307** (1998) 29
Zeng, R., B. Ye, J. Horvat, Y.C. Guo, B. Zeimetz, X.F. Yang, T.P. Beales, H.K. Liu and S.X. Dou, Grain connectivity and flux pinning in Bi-2223/Ag PIT tapes, **307** (1998) 29
Zeng, R., Y.C. Guo, Y. Tanaka, J. Horvat, M. Ionescu, T.P. Beales, M. Appley, H.K. Liu and S.X. Dou, Effect on the phase formation of Bi-2223 in some Ag-alloy sheathed PIT tapes, **307** (1998) 229
Zhang, C.P., see Yang, W.M., **307** (1998) 271
Zhang, P.X., see Yang, W.M., **307** (1998) 271
Zhao, X., X. Sun, X. Fan, W. Wu, X.-G. Li, S. Guo and Z. Zhao, Correlation between T_c and n_s/m^* in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals, **307** (1998) 265
Zhao, X., see Sun, X., **307** (1998) 67
Zhao, Z., see Zhao, X., **307** (1998) 265
Zheng, H., M. Jiang, Y. Huang, B.W. Veal and H. Claus, Growth and physical properties of melt textured $(Gd,Y)Ba_2Cu_3O_x$, **307** (1998) 284
Zhigadlo, N.D., A.T. Matveev, Y. Ishida, Y. Anan, Y. Matsui and E. Takayama-Muromachi, Homologous series of high-T_c superconductors $(Cu,C)Sr_2Ca_{n-1}Cu_nO_y$ (n = 2,5) and $(Cu,N,C)Sr_2Ca_{n-1}Cu_nO_y$ (n = 3–6) synthesized under high pressure, **307** (1998) 177
Zhou, L., see Yang, W.M., **307** (1998) 271

ELSEVIER

Physica C 307 (1998) 339–340

PHYSICA C

Analytic Subject Index to Volume 307

a.c. loss dissociation
–in Bi-2223/Ag tapes **307** 105
Activation energy
–in $HgBa_2Ca_2Cu_3O_8$ films **307** 237
Ag addition
–to (Bi,Pb)-Sr-Ca-Cu-O **307** 277
Angle-resolved photoemission **307** 254
Anisotropy properties
–of YBCO **307** 271
Apex oxygen
–in $YBa_2Cu_3O_{6+x}$ **307** 261
Atomic oxygen
–in $YBa_2Cu_3O_{6+x}$ thin films **307** 298

Biaxial texture
–in CeO_2 thin films **307** 87
–in $YBa_2Cu_3O_{7-\delta}$ **307** 87
Buffer layers **307** 87

Chemical stability
–of $HoBa_2SbO_6$ **307** 189
–of $YBa_2Cu_3O_{7-\delta}$ **307** 189
Coated conductors **307** 87
Condensation energy **307** 291
Critical current density
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ **307** 23
–of $(Gd,Y)Ba_2Cu_3O_x$ **307** 284
–of Bi-2223/Ag tapes **307** 46
–of $Bi_2Sr_2Ca_2Cu_3O_{10}$ tapes **307** 165
–of $GdBa_2Cu_3O_{7-\delta}$ **307** 197
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ **307** 202
Crystalline-electric-field
–in $Y_{0.99}Er_{0.01}Ba_2Cu_3O_x$ **307** 61
Cu-O planes **307** 307
CuO repulsion **307** 137
Current energy dissipation **307** 291
Current leads
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ **307** 23

D-wave pairing **307** 327
Distortion
–of $YBa_2Cu_3O_{6+x}$ **307** 261
Doping
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals **307** 265
Doping effect
–on $Bi_2Sr_2Ca_{1-x}Pr_xCu_2O_y$ single crystals **307** 67
Dynamical instability
–in $YBa_2Cu_3O_{6+x}$ **307** 261

Eddy current loss
–in Bi-2223/Ag tapes **307** 105
Electric field direction
–in $YBa_2Cu_3O_7$ crystal **307** 12
Electrical resistivity
–of $Y(Ba_{1-x}Sr_x)_2Cu_4O_y$ **307** 209
Electron spin–lattice relaxation time T_1
–of $Y_{0.99}Er_{0.01}Ba_2Cu_3O_x$ **307** 61
Energy gap
–for Rb_3C_{60} single crystals **307** 79
ESR
–in $Y_{0.99}Er_{0.01}Ba_2Cu_3O_x$ **307** 61
Excess resistivity
–in BSCCO **307** 291
–in YBCO **307** 291

Flux creep
–in $Bi_2Sr_2Ca_2Cu_3O_{10}$ tapes **307** 165
–in $HgBa_2Ca_2Cu_3O_8$ films **307** 237
Flux pinning
–in Bi-2223 tapes **307** 29
–in Bi-2223/Ag tapes **307** 46
–in $GdBa_2Cu_3O_{7-\delta}$ **307** 197
Formation
–of (Bi,Pb)-Sr-Ca-Cu-O **307** 277
Fullerides **307** 79

Grain alignment
–in YBCO **307** 271
Grain connectivity
–in Bi-2223 tapes **307** 29
Granular superconductivity **307** 318
Granular material **307** 165

Hall effect **307** 241
Heat capacity
–of Zr_2Rh **307** 245
Heat treatment
–of (Bi,Pb)-Sr-Ca-Cu-O **307** 277
Heat treatments
–for $YBa_2Cu_3O_{7-\delta}$ **307** 51
High-pressure synthesis
–of $(Cu,C)Sr_2Ca_{n-1}Cu_nO_y$ **307** 177
–of $(Cu,N,C)Sr_2Ca_{n-1}Cu_nO_y$ **307** 177
Holons **307** 307
Hot-pressing
–of Bi-2223 tapes **307** 29
HRTEM
–on $(Cu,C)Sr_2Ca_{n-1}Cu_nO_y$ **307** 177
–on $(Cu,N,C)Sr_2Ca_{n-1}Cu_nO_y$ **307** 177

Intrinsic Josephson junctions
–of $Bi_2Sr_2CaCuO_x$ thin films **307** 221
Irradiation effect
–on $GdBa_2Cu_3O_{7-\delta}$ **307** 197
Irreversibility field
–of $(Gd,Y)Ba_2Cu_3O_x$ **307** 284
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ **307** 202
Irreversibility line
–of Zr_2Rh **307** 245
IV characteristics **307** 221

Josephson effects **307** 318

Laser ablation
–of $YBa_2Cu_3O_{6+x}$ thin films **307** 298
Levitation force
–for YBCO **307** 271
Local measurements **307** 165
Local phase separation
–in $Y_{0.99}Er_{0.01}Ba_2Cu_3O_x$ **307** 61
Low field magnetization
–of $(Gd,Y)Ba_2Cu_3O_x$ **307** 284

Magnetic properties
–of $HoBa_2SbO_6$ **307** 189
–of $YBa_2Cu_3O_{7-\delta}$ **307** 189
Magnetic susceptibility
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ **307** 202
Magnetization
–of $Bi_2Sr_2Ca_2Cu_3O_{10}$ tapes **307** 165
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals **307** 265
–of $Hg_{0.75}V_{0.25}Ba_2CuO_{4+\delta}$ single crystals **307** 128
–of Zr_2Rh **307** 245

Magnetoresistance
–of $HgBa_2Ca_2Cu_3O_8$ films **307** 237
Mean field study **307** 137
Melt growth
–of YBCO **307** 271
MgO particle doping
–of Bi-2223/Ag tapes **307** 46
MgO substrate
–for $(Hg,Pb)Ba_2CaCu_2O_y$ thin films **307** 74
Microstructure
–of CeO_2 thin films **307** 87
–of $HgPb_{0.4}Ba_2Ca_2Cu_3O_y$ **307** 99
–of $YBa_2Cu_3O_{7-\delta}$ **307** 87
Mixed-state **307** 241

Normal-state properties **307** 254

O–O hopping **307** 137
Overdoping
–of $Hg_{0.75}V_{0.25}Ba_2CuO_{4+\delta}$ single crystals **307** 128
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ **307** 202
Oxycarbonate superconductors **307** 17
Oxygen stoichiometry
–in $YBa_2Cu_3O_{6+x}$ thin films **307** 298
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals **307** 265

Penetration depth
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals **307** 265
Phase diagram
–of $(Bi_{0.8}Pb_{0.2})_2Sr_2CuO_6$–$CaCuO_2$ **307** 1
Phase evolution
–in (Bi,Pb)-Sr-Ca-Cu-O **307** 277
Phase formation
–of Bi-2223 tapes **307** 229
Phase relations
–in $(Bi_{0.8}Pb_{0.2})_2Sr_2CuO_6$–$CaCuO_2$ **307** 1
Phase stability **307** 177
Phonon spectral function **307** 327
Point defects
–in $GdBa_2Cu_3O_{7-\delta}$ **307** 197
Powder in tube tapes **307** 229
Power dissipation
–in Bi-2223/Ag tapes **307** 105
Pressure effects
–in $(B_{1-x}C_x)(Ba_{1-y}Sr_x)_2Ca_2Cu_3O_z$ **307** 17
–in $B_{0.8}C_{0.2}(Ba_{0.75}Sr_{0.25})_2Ca_3Cu_4O_z$ **307** 17
Proximity effect **307** 145
Pseudogap **307** 254

Raman scattering
–on Rb_3C_{60} single crystals **307** 79
Recovery of superconductivity
–in $YBa_2Cu_3O_{7-\delta}$ **307** 51
Resistivity
–of Zr_2Rh **307** 245
Resonance structure **307** 327
Rod in tube process **307** 46

Sample degradation **307** 117
Secondary phases
–in $HgPb_{0.4}Ba_2Ca_2Cu_3O_y$ **307** 99
Self-consistent Born approximation **307** 307
Self-field a.c. losses
–in Bi-2223/Ag tapes **307** 105
Sheaths of Ag alloy **307** 229
Spectral density **307** 307
Spin fluctuations **307** 254
Stability
–of Hg-1212 thin films **307** 117
–of Hg-1223 thin films **307** 117
Structure
–of $Bi_2Sr_2Ca_{1-x}Pr_xCu_2O_y$ single crystals **307** 67
–of $Hg_{0.75}V_{0.25}Ba_2CuO_{4+\delta}$ single crystals **307** 128
–of $HoBa_2SbO_6$ **307** 189
–of $YBa_2Cu_3O_{7-\delta}$ **307** 51
–of $YBa_2Cu_3O_{7-\delta}$ **307** 189
Substitution effects
–in $Y(Ba_{1-x}Sr_x)_2Cu_4O_y$ **307** 209
Superconducting gap **307** 327
Superconducting transition temperature
–on $(B_{1-x}C_x)(Ba_{1-y}Sr_x)_2Ca_2Cu_3O_z$ **307** 17
–on $B_{0.8}C_{0.2}(Ba_{0.75}Sr_{0.25})_2Ca_3Cu_4O_z$ **307** 17
Superconductivity
–in $Bi_2Sr_2Ca_{1-x}Pr_xCu_2O_y$ single crystals **307** 67
Superconductor/Ferromagnet sandwich **307** 145
Superexchange **307** 137
Surface microstructure
–of Hg-1212 thin films **307** 117
–of Hg-1223 thin films **307** 117
Surface morphology
–of $(Hg,Pb)Ba_2CaCu_2O_y$ thin films **307** 74
–of $YBa_2Cu_3O_{6+x}$ thin films **307** 298
Synthesis
–of $(Bi_{0.8}Pb_{0.2})_2Sr_2CuO_6$–$CaCuO_2$ **307** 1
–of $(Gd,Y)Ba_2Cu_3O_x$ **307** 284
–of $(Hg,Pb)Ba_2CaCu_2O_y$ thin films **307** 74
–of $Hg_{0.75}V_{0.25}Ba_2CuO_{4+\delta}$ single crystals **307** 128
–of $HgPb_{0.4}Ba_2Ca_2Cu_3O_y$ **307** 99
–of $Y(Ba_{1-x}Sr_x)_2Cu_4O_y$ **307** 209

Tape processing
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ **307** 23
Textured Ni substrates
–for CeO_2 thin films **307** 87
Thermal fluctuations
–in $YBa_2Cu_3O_7$ crystal **307** 12
Thermally deposited (Pb)-Ba-Ca-Cu precursors **307** 74
Tilted vortices; **307** 12
Two-step annealing
–of $Bi_2Sr_2CaCuO_x$ thin films **307** 221

Vortex correlation
–in $YBa_2Cu_3O_7$ crystal **307** 12
Vortices **307** 241

Water degraded
–of $YBa_2Cu_3O_{7-\delta}$ **307** 51
Weak links
–in $Bi_2Sr_2Ca_2Cu_3O_{10}$ tapes **307** 165
–of Bi-2223 tapes **307** 29

X-ray powder diffraction
–on $(Bi_{0.8}Pb_{0.2})_2Sr_2CuO_6$–$CaCuO_2$ **307** 1